

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 453/2010)



Trade name : PANOLIN HLP SYNTH 15
Revision date : 16.12.2014
Print date : 25.01.2016

Version : 1.0.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

PANOLIN HLP SYNTH 15 (35020)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Hydraulic oil, Lubricant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier : Panolin AG
Street/P.O.Box : Bläsimühle
Country code/Postal code/Town/City : 8322 Madetswil
Country : Switzerland
Telephone : +41(0)44 956 65 65
Contact : info@panolin.com

1.4 Emergency telephone number

Swiss Toxicological Information Centre
Phone: +41 (0)44/ 251 51 51

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product is not classified according to the calculation method of the General Classification guideline for preparations of the EU in the latest version.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

None

2.2 Label elements

None

2.3 Other hazards

None

SECTION 3: Composition / information on ingredients

3.2 Mixtures

Mixture of different substances.

Hazardous ingredients

None

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove affected person from the danger area and lay down. Contaminated, soaked clothing and shoes change and clean. When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician. If

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 453/2010)



Trade name : PANOLIN HLP SYNTH 15
Revision date : 16.12.2014
Print date : 25.01.2016

Version : 1.0.0

unconscious place in recovery position and seek medical advice.

In case of skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

After eye contact

Remove contact lenses, keep eyelids open. Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

If symptoms occur consult a doctor Do NOT induce vomiting. Let water be drunken in little sips (dilution effect).

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam, CO₂, powder extinguisher, water haze, water spray jet.

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

5.3 Advice for firefighters

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

5.4 Additional information

Use water spray jet to protect personnel and to cool endangered containers. Under extreme heating in closed containers polymerisation, decomposition Pressure formation and bursting of containers possible. Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of fire residues and contaminated fire fighting water in line with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

6.2 Environmental precautions

Take up with a liquid absorbing material and proceed according to the waste disposal regulations. Do not discharge into the sewage system/surface water/ground water/subsoil as well as the soil. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 453/2010)



Trade name : PANOLIN HLP SYNTH 15
Revision date : 16.12.2014
Print date : 25.01.2016

Version : 1.0.0

7.1 Precautions for safe handling

Normal precautions taken when handling chemicals should be observed. Persons with a history of skin sensitisation problems should not be employed in any process in which this product is used.

Protective measures

It is recommended to design all work processes always so that the following is excluded: Inhalation of vapours or spray/mists Avoid contact with skin and eyes. Wear personal protection equipment (refer to section 8). If handled uncovered, arrangements with local exhaust ventilation should be used if possible. Comply with the health and safety at work laws.

Measures to prevent fire

The product is not: Flammable Usual measures for fire prevention. Keep container tightly closed. Never use pressure to empty: container is not a pressure vessel. No smoking. Prevent unauthorized access.

Measures to prevent aerosol and dust generation

Vapours/aerosols should be exhausted directly at the point of origin.

Environmental precautions

Shafts and sewers must be protected from entry of the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product. Provide for retaining containers, eg. floor pan without outflow. Keep/Store only in original container.

Hints on joint storage

Keep away from oxidizing agents, from strongly alkaline and strongly acid materials. Keep away from food, drink and animal feeding stuffs.

Storage class : 10

Storage class (TRGS 510) : 10

Further information on storage conditions

Keep container tightly closed and in a well-ventilated place. Do not store outside.

Recommended storage temperature : 5°C - 30°C

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

None

8.2 Exposure controls

Appropriate engineering controls

Substance/mixture related measures to prevent exposure during identified uses

Provide adequate ventilation. Take the precautions customary when handling chemicals.

Personal protection equipment



Eye/face protection

Suitable eye protection

Use tightly fitting safety glasses.

Required properties

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 453/2010)



Trade name : PANOLIN HLP SYNTH 15
Revision date : 16.12.2014
Print date : 25.01.2016

Version : 1.0.0

DIN EN 166

Skin protection

Hand protection

Oil resistant, tested, protective gloves, eg nitrile rubber EN 374-2 must be worn.

Body protection

In case of splattering, wear oil-resistant protective clothing.

Respiratory protection

If workplace limits are exceeded, a gas mask approved (according to EN 149 FFP2/3 SL) for this purpose must be worn.

General health and safety measures

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : light yellow

Odour : characteristic

Safety relevant basis data

Physical state :		liquid
Pourpoint		-60 °C
Initial boiling point and boiling range :	(1013 hPa)	No data available
Decomposition temperature :		No data available
Flash point :		220 °C
Vapour pressure :	(50 °C)	not determined
Density :	(15 °C)	0.922 g/cm ³
Water solubility :	(20 °C)	insoluble
Viscosity :	(40 °C)	16.4 mm ² /s
Maximum VOC content (EC) :		0 Wt %

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

None, if handled according to order.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents possible.

10.4 Conditions to avoid

Stable under recommended storage and handling conditions (See section 7).

10.5 Incompatible materials

Reactions with strong acids or alkalines possible. Reactions with strong oxidizing agents possible.

10.6 Hazardous decomposition products

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 453/2010)



Trade name : PANOLIN HLP SYNTH 15
Revision date : 16.12.2014
Print date : 25.01.2016

Version : 1.0.0

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Non-toxic. This information is based on data from the components of the preparation, or similar materials.

Irritant and corrosive effects

Primary irritation to the skin

Not an irritant. This information is based on data from the components of the preparation, or similar materials.

Irritation to eyes

Not an irritant. This information is based on data from the components of the preparation, or similar materials.

Sensitisation

No sensitizing effects known. This information is based on data from the components of the preparation, or similar materials.

In case of inhalation

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The product is not classified. The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

11.5 Additional information

This product is unlikely to harm health, given normal and proper handling and hygienic precautions.

SECTION 12: Ecological information

12.1 Toxicity

The product is not classified according to the calculation method of the General Classification guideline for preparations of the EU in the latest version. This information is based on data from the components of the preparation, or similar materials.

12.2 Persistence and degradability

Readily biodegradable (according to OECD criteria). This information is based on data from the components of the preparation, or similar materials.

Abiotic degradation

Mechanical separation in a suitable sewage plant is possible.

12.3 Bioaccumulative potential

No indication of bioaccumulation potential. This information is based on data from the components of the preparation, or similar materials.

12.4 Mobility in soil

Floats on the water surface. In the soil low mobility.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

Do not empty the product into drains, do not store on public depositories disposal: in accordance with local official regulations.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 453/2010)



Trade name : PANOLIN HLP SYNTH 15
Revision date : 16.12.2014
Print date : 25.01.2016

Version : 1.0.0

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Content and contaminated packaging should be treated as hazardous waste. Delivery to an approved waste disposal company.

Product/Packaging disposal

Disposal, in accordance with local official regulation.

Waste codes/waste designations according to EWC/AVV

Waste code product

Waste code (91/689/EEC) : 13 01 12* readily biodegradable hydraulic oils

Waste treatment options

Appropriate disposal / Package

Empty containers should be scrapped or reconditioned. Containers, which have not been emptied properly must be treated as special waste.

SECTION 14: Transport information

14.1 UN number

No dangerous goods in sense of this transport regulation.

14.2 UN proper shipping name

No dangerous goods in sense of this transport regulation.

14.3 Transport hazard class(es)

No dangerous goods in sense of this transport regulation.

14.4 Packing group

No dangerous goods in sense of this transport regulation.

14.5 Environmental hazards

No dangerous goods in sense of this transport regulation.

14.6 Special precautions for user

None

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Water hazard class (WGK)

Class : nwg (Non-hazardous to water) Classification according to VwVwS

Other regulations, restrictions and prohibition regulations

Betriebssicherheitsverordnung (BetrSichV)

No flammable liquid according to BetrSichV.

15.2 Chemical Safety Assessment

No information available.

SECTION 16: Other information

16.1 Indication of changes

None

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (amended by
Regulation (EU) No 453/2010)



Trade name : PANOLIN HLP SYNTH 15
Revision date : 16.12.2014
Print date : 25.01.2016

Version : 1.0.0

16.2 Abbreviations and acronyms

None

16.3 Key literature references and sources for data

None

16.4 Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

None

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
